


PERMIT NO.: _____

OWNERS NAME: _____

PROJECT LOCATION: _____



REQUIRED INFORMATION:

- | | |
|---|---|
| <p>1. Grade: 2% slope for drainage</p> <p>2. Deck height from grade: Specify _____</p> <p>3. Floor decking: Specify _____</p> <p>4. Height of guard rail from deck
 <input type="checkbox"/> 36" (for 2' to 6' deck height above grade)
 <input type="checkbox"/> 42" (for 6' over deck height above grade)</p> <p>5. End joist size: _____</p> <p>6. Built up beam size: _____</p> <p>7. Wood column size: _____</p> <p>8. Foundation Type: _____
 <i>Pile foundations (screw, steel or concrete) require engineering</i></p> <p>9. Floor joist size and spacing: _____</p> <p>10. 4" max space between railings</p> <p>11. Type of railing: _____</p> | <p>12. 34" minimum stair width</p> <p>13. Handrail height: _____
 <i>Handrail is required if stairs have more than 3 risers (minimum 34"; maximum 38")</i>
 Guardrail height for stair: _____
 <i>(minimum 36")</i></p> <p>14. Stair tread size: _____</p> <p>15. Ledger (rim) board size (same size as joist)
 Size: _____</p> <p>16. Stair: Rise: 5" to 8"
 Run: 10" to 15"</p> <p>17. Joist span size: _____</p> <p>18. Existing house</p> |
|---|---|

PERMIT NO.: _____

OWNERS NAME: _____

PROJECT LOCATION: _____

PLAN VIEW

SIZE AND TYPE OF DECKING (provide a CCMC# for composite decking):

